Notice of Allowability	Application No.	Applicant(s)		
	09/888,315	SATO ET AL.		
	Examiner	Art Unit		
	Mike Fatahiyar	2674		
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.				
1. \boxtimes This communication is responsive to <u>12/19/05</u> .		. :		
2. The allowed claim(s) is/are <u>18-30</u> .				
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 				
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.				
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.				
5. X CORRECTED DRAWINGS (as "replacement sheets") must be submitted.				
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached				
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date				
(b) ⊠ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date				
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).				
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.				
Attachment(s)	_		-	
1. Notice of References Cited (PTO-892)	5. Notice of Informal P	, ,	O-152)	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)		6. ⊠ Interview Summary (PTO-413), Paper No./Mail Date <u>3/3/06</u> . 7. ⊠ Examiner's Amendment/Comment		
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date				
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. Examiner's Stateme	8. Examiner's Statement of Reasons for Allowance		
	9. Other	XIAJ WU RIMARY EXAMINE	<u></u>	
	P	RIMARY EXAMINE	in i	

Application/Control Number: 09/888,315

Art Unit: 2674

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Christopher Rauch on March 3, 2006.

The application has been amended as follows:

At page 5, line 1, the recitation "of the earlier technology" is inserted right after "device".

At page 5, right after line 7, insert "Fig. 10 is a constitution of a conventional linear polarization filter method".

Claim 31 is deleted.

- 2. The following changes to the drawings have been approved by the examiner and agreed upon by applicant: Figures 8-10 should be labeled as "Related Art". In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.
- 3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mike Fatahiyar whose telephone number is (571)272-7688. The examiner can normally be reached on Monday-Friday from 9:30 to 6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Hjerpe, can be reached on 571-272-7691. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

M. Fatahiyar

March 3, 2006

UW CAIX

SHIMAY EXAMINER